Heredity **82** (1999) 691–694

Author index

Abatzopoulos, T. J. *see* Triantafyllidis, A.
Andersson, L. *see* Marklund, L.
Andersson-Eklund, L. *see* Marklund, L.
Andrés, J. A., Cordero, A. The inheritance of female colour morphs in the damselfly *Ceriagrion tenellum* (Odonata, Coenagrionidae) **328**
Antolin, M. F. *see* Heimpel, G. E.
Arnold, M. L. *see* Cruzan, M. B.

Baltisberger, M. *see* Utelli, A.-B.
Beeman, R. W., Friesen, K. S. Properties and natural occurrence of maternal-effect selfish genes ('*Medea*' factors) in the Red Flour Beetle, *Tribolium castaneum* **529**
Bell, D. J. *see* Surridge, A. K.
Berrebi, P. *see* Chenuil, A.; Poteaux, C.
Bilton, D. T., Goode, D., Mallet, J. Genetic differentiation and natural hybridization between two morphological forms of the common woodlouse, *Oniscus asellus* Linnaeus 1758 **462**
Birkle, L. M., Douglas, A. E. Low genetic diversity among pea aphid (*Acyrthosiphon pisum*) biotypes of different plant affiliation **605**
Blackman, R. L., Spence, J. M., Field, L. M., Devonshire, A. L. Variation in the chromosomal distribution of amplified esterase (*FE4*) genes in Greek field populations of *Myzus persicae* (Sulzer) **180**
Blott, S. C., Williams, J. L., Haley, C. S. Discriminating among cattle breeds using genetic markers **613**
Bohonak, A. J. Effect on insect-mediated dispersal on the genetic structure of postglacial water mite populations **451**
Bonhomme, F. *see* Poteaux, C.
Bosenko, D. V. *see* Imasheva, A. G.
Braig, H. R. *see* Rousset, F.
Broadhurst, L. M., Coates, D. J., Tan, B. H. Genetic diversity in the monospecific Western Australian endemic, *Geleznowia verrucosa* Turcz. (Rutaceae) **292**
Brown, E. *see* Kephart, S. R.
Brown, S. C. *see* Cerbah, M.
Bubli, O. A. *see* Imasheva, A. G.
Bucheli, E. *see* Delmotte, F.
Burton, T. L., Husband, B. C. Population cytotype structure in the polyploid *Galax urceolata* (Diapensiaceae) **381**
Byrne, K., Nichols, R. A. *Culex pipiens* in London Underground tunnels: differentiation between surface and subterranean populations **7**
Byrne, M. High genetic identities between three oil mallee taxa, *Eucalyptus kochii* ssp. *kochii*, ssp. *plenissima* and *E. horistes*, based on nuclear RFLP analysis **205**

Caballero, A. *see* Wang, J.
Cerbah, M., Coulaud, J., Brown, S. C., Siljak-Yakovlev, S. Evolutionary DNA variation in the genus *Hypochaeris* **261**
Chang, C. W. Y. *see* Krieger, M. J. B.
Chapuisat, M., Keller, L. Short Review: Testing kin selection with sex allocation data in eusocial Hymenoptera **473**
Chenuil, A., Galtier, N., Berrebi, P. A test of the hypothesis of an autopolyploid vs. allopolyploid origin for a tetraploid lineage: application to the genus *Barbus* (Cyprinidae) **373**
Coates, D. J. *see* Broadhurst, L. M.
Cook, L. M., Cowie, R. H., Jones, J. S. Change in morph frequency in the snail *Cepaea nemoralis* on the Marlborough Downs **336**
Cook, L. M., Soltis, P. S. Mating systems of diploid and allotetraploid populations of *Tragopogon* (Asteraceae). I. Natural populations **237**
Cordero, A. *see* Andrés, J. A.
Coulaud, J. *see* Cerbah, M.
Cowie, R. H. *see* Cook, L. M.
Cruzan, M. B., Arnold, M. L. Consequences of cytonuclear epistasis and assortative mating for the genetic structure of hybrid populations **36**

Day, T. H. *see* Gilburn, A. S.
de Jeu, M. J. *see* Kamstra, S. A.
De La Peña, I. *see* Silvela, L.
Delmotte, F., Bucheli, E., Shykoff, J. A. Host and parasite population structure in a natural plant–pathogen system **300**
Delph, L. F. *see* Gehring, J. L.
Devonshire, A. L. *see* Blackman, R. L.
Doi, A., Suzuki, H., Matsuura, E. T. Genetic analysis of temperature-dependent transmission of mitochondrial DNA in *Drosophila* **555**
Douglas, A. E. *see* Birkle, L. M.

Eckert, C. G. *see* Routley, M. B.
Economidis, P. S. *see* Triantafyllidis, A.
Ennos, R. A. *see* Mahy, G.

Field, L. M. *see* Blackman, R. L.
Fort, S. B. *see* Waycott, W.
Franceschinelli, E. V., Kesseli, R. Population structure and gene flow of the Brazilian shrub *Helicteres brevispira* **355**
Fredga, K. *see* Wyttenbach, A.
Friesen, K. S. *see* Beeman, R. W.

Galtier, N. *see* Chenuil, A.
Gao, L.-Z. *see* Ge, S.
Garcia-Marin, J.-L., Utter, F. M., Pla, C. Postglacial colonization of brown trout in Europe based on distribution of allozyme variants **46**
Garcia-Vazquez, E. *see* Perez, J.
Gardner, J. P. A., Thompson, R. J. High levels of shared allozyme polymorphism among strongly differentiated congeneric clams of the genus *Astarte* (Bivalvia: Mollusca) **89**
Ge, S., Oliveira, G. C. X., Schaal, B. A., Gao, L.-Z., Hong, D.-Y. RAPD variation within and between natural populations of the wild rice *Oryza rufipogon* from China and Brazil **638**
Gehring, J. L., Delph, L. F. Fine-scale genetic structure and clinal variation in *Silene acaulis* despite high gene flow **628**
Gilburn, A. S., Day, T. H. Female mating behaviour, sexual selection and chromosome I inversion karytype in the seaweed fly, *Coelopa frigida* **276**
Gomez-Ruano, R. *see* Silvela, L.
Goode, D. *see* Bilton, D. T.

Haley, C. S. *see* Blott, S. C.
Hall, J. *see* Kephart, S. R.
Harper, J. A. *see* King, I. P.
Hedrick, P. W. Antagonistic pleiotropy and genetic polymorphism: a perspective **126**
Hedrick, P. W., Savolainen, O., Kärkkäinen, K. Factors influencing the extent of inbreeding depression: an example from Scots pine **441**
Heimpel, G. E., Antolin, M. F., Strand, M. R. Diversity of sex-determining alleles in *Bracon hebetor* **282**
Hewitt, G. M. *see* Surridge, A. K.
Hoffmann, A. A. Is the heritability for courtship and mating speed in *Drosophila* (fruit fly) low? **158**
Hong, D.-Y. *see* Ge, S.
Husband, B. C. *see* Burton, T. L.

Ibrahim, K. M. *see* Surridge, A. K.
Imasheva, A. G., Bosenko, D. V., Bubli, O. A. Variation in morphological traits of *Drosophila melanogaster* (fruit fly) under nutritional stress **187**
Irwin, D. E., Price, T. Short Review: Sexual imprinting, learning and speciation **347**
Ishii, T. *see* Yonezawa, K.
Ivey, C. T., Lipow, S. R., Wyatt, R. Mating systems and infertility of swamp milkweed (*Asclepias incarnata* ssp. *incarnata* and ssp. *pulchra*) **25**

Jacobsen, E. *see* Kamstra, S. A.
Jacquemart, A.-L. *see* Mahy, G.
James, S. H., Keighery, G. K., Moorrees, A., Waycott, M. Genomic coalescence in a population of *Laxmannia sessiliflora* (Angiospermae, Anthericaceae): an association of lethal polymorphism, self-pollination and chromosome number reduction **364**
Johannesen, J., Lubin, Y. Group founding and breeding structure in the subsocial spider *Stegodyphus lineatus* (Eresidae) **677**
Jones, J. S. *see* Cook, L. M.

Kamstra, S. A., Ramanna, M. S., de Jeu, M. J., Kuipers, A. G. J., Jacobsen, E. Homoeologous chromosome pairing in the distant hybrid *Alstroemeria aurea* × *A. inodora* and the genome composition of its backcross derivatives determined by fluorescence *in situ* hybridization with species-specific probes **69**
Kärkkäinen, K. *see* Hedrick, P. W.
Keighery, G. K. *see* James, S. H.
Keller, L. *see* Chapuisat, M.; Krieger, M. J. B.
Kephart, S. R., Brown, E., Hall, J. Inbreeding depression and partial selfing: evolutionary implications of mixed-mating in a coastal endemic, *Silene douglasii* var. *oraria* (Caryophyllaceae) **543**
Kesseli, R. *see* Franceschinelli, E. V.
King, I. P., Morgan, W. G., Harper, J. A., Thomas, H. M. Introgression mapping in the grasses. II. Meiotic analysis of the *Lolium perenne*/ *Festuca pratensis* triploid hybrid **107**
Kobayashi, M. *see* Suzuki, M. G.
Koudandé, O. D., Thomson, P. C., van Arendonk, J. A. M. A model for population growth of laboratory animals subjected to marker-assisted introgression: how many animals do we need? **16**
Kraft, T., Säll, T. An evaluation of the use of pooled samples in studies of genetic variation **488**
Krieger, M. J. B., Ross, K. G., Chang, C. W. Y., Keller, L. Frequency and origin of triploidy in the fire ant *Solenopsis invicta* **142**
Kropff, M. J. *see* Yin, X.
Kuipers, A. G. J. *see* Kamstra, S. A.
Kvist, L., Ruokonen, M., Lumme, J., Orell, M. The colonization history and present-day population structure of the European great tit (*Parus major major*) **495**

Lascoux, M. *see* Semerikov, V. L.
Laurila, A. *see* Seppä, P.
Lefèvre, F. *see* Legionnet, A.
Legionnet, A., Muranty, H., Lefèvre, F. Genetic variation of the riparian pioneer tree species *Populus nigra*. II. Variation in susceptibility to the foliar rust *Melampsora larici-populina* **318**
Lerceteau, E., Szmidt, A. E. Properties of AFLP markers in inheritance and genetic diversity studies of *Pinus sylvestris* L. **252**
Levy, F., Neal, C. L. Spatial and temporal genetic structure in chloroplast and allozyme markers in *Phacelia dubia* implicate genetic drift **422**

Lipow, S. R. *see* Ivey, C. T.
Löfstedt, C. *see* Van Dongen, S.
Lubin, Y. *see* Johannesen, J.
Lumme, J. *see* Kvist, Laura

Mahy, G., Ennos, R. A., Jacquemart, A.-L. Allozyme variation and genetic structure of *Calluna vulgaris* (heather) populations in Scotland: the effect of postglacial recolonization **654**
Mahy, G., Vekemans, X., Jacquemart, A.-L. Patterns of allozymic variation within *Calluna vulgaris* populations at seed bank and adult stages **432**
Mallet, J. *see* Bilton, D. T.
Marklund, L., Nyström, P.-E., Stern, S., Andersson-Eklund, L., Andersson, L. Confirmed quanitative trait loci for fatness and growth on pig chromosome 4 **134**
Matsuura, E. T. *see* Doi, A.
Matthysen, E. *see* Van Dongen, S.
Mavraganis, K. *see* Routley, M. B.
McCauley, D. E. *see* Whitlock, M. C.
Michelmore, R. W. *see* Waycott, W.
Moorrees, A. *see* James, S. H.
Moran, P. *see* Perez, J.
Morgan, W. G. *see* King, I. P.
Muranty, H. *see* Legionnet, A.

Narain, Y. *see* Wyttenbach, A.
Neal, C. L. *see* Levy, F.
Nichols, R. A. *see* Byrne, K.
Nomura, T. *see* Yonezawa, K.
Nyström, P.-E. *see* Marklund, L.

O'Neill, S. L. *see* Rousset, F.
Oliveira, G. C. X. *see* Ge, S.
Orell, M. *see* Kvist, L.
Orengo, D. J., Prevosti, A. Wing-size heritability in a natural population of *Drosophila subobscura* **100**

Peakall, R. *see* Smouse, P. E.
Perez, J., Moran, P., Garcia-Vazquez, E. Cloning and physical mapping of Atlantic salmon (*Salmo salar* L.) telomeric sequences **409**
Pla, C. *see* Garcia-Marín, J.-L.
Poteaux, C., Bonhomme, F., Berrebi, P. Microsatellite polymorphism and genetic impact of restocking in Mediterranean brown trout (*Salmo trutta* L.) **645**
Prevosti, A. *see* Orengo, D. J.
Price, T. *see* Irwin, D. E.

Ramanna, M. S. *see* Kamstra, S. A.
Ross, K. G. *see* Krieger, M. J. B.
Rousset, F., Braig, H. R., O'Neill, S. L. A stable triple *Wolbachia* infection in *Drosophila* with nearly additive incompatibility effects **620**
Routley, M. B., Mavraganis, K., Eckert, C. G. Effect of population size on the mating system in a self-compatible, autogamous plant, *Aquilegia canadensis* (Ranunculaceae) **518**
Roy, B. A. *see* Utelli, A.-B.
Ruokonen, M. *see* Kvist, L.
Ryder, E. J. *see* Waycott, W.

Säll, T. *see* Kraft, T.
Santos, J. L. Short Review: The relationship between synapsis and recombination: two different views **1**
Såstad, S. M. *see* Stenøien, H. K.
Savolainen, O. *see* Hedrick, P. W.
Schaal, B. A. *see* Ge, S.
Semerikov, L. F. *see* Semerikov, V. L.
Semerikov, V. L., Semerikov, L. F., Lascoux, M. Intra- and interspecific allozyme variability in Eurasian *Larix* Mill. species **193**
Seppä, P., Laurila, A. Genetic structure of island populations of the anurans *Rana temporaria* and *Bufo bufo* **309**
Shimada, T. *see* Suzuki, M. G.
Shykoff, J. A. *see* Delmotte, F.
Siljak-Yakovlev, S. *see* Cerbah, M.
Silvela, L., De La Peña, I., Gomez-Ruano, R. Selection under negative linkage disequilibrium. Random mating versus inbreeding **598**
Simmons, L. W. *see* Tomkins, J. L.
Smouse, P. E., Peakall, R. Spatial autocorrelation analysis of individual multiallele and multilocus genetic structure **561**
Soltis, P. S. *see* Cook, L. M.
Spence, J. M. *see* Blackman, R. L.
Sprengers, E. *see* Van Dongen, S.
Stam, P. *see* Yin, X.
Stenøien, H. K., Såstad, S. M. Genetic structure in three haploid peat mosses (*Sphagnum*) **391**
Stern, S. *see* Marklund, L.
Stouthamer, R. *see* van Meer, M. M. M.
Strand, M. R. *see* Heimpel, G. E.
Surridge, A. K., Bell, D. J., Ibrahim, K. M., Hewitt, G. M. Population structure and genetic variation of European wild rabbits (*Oryctolagus cuniculus*) in East Anglia **479**
Suzuki, H. *see* Doi, A.
Suzuki, M. G., Shimada, T., Kobayashi, M. *Bm kettin*, homologue of the *Drosophila* kettin gene, is located on the Z chromosome in *Bombyx mori* and is not dosage compensated **170**
Suzuki, M. G., Shimada, T., Yokoyama, T., Kobayashi, M. The influence of triploidy on gene expression in the silkworm, *Bombyx mori* **661**
Szmidt, A. E. *see* Lerceteau, E.

Tan, B. H. *see* Broadhurst, L. M.
Thomas, H. M. *see* King, I. P.

Thompson, J. D. Short Review: Population differentiation in Mediterranean plants: insights into colonization history and the evolution and conservation of endemic species **229**

Thompson, R. J. *see* Gardner, J. P. A.

Thomson, P. C. *see* Koudandé, O. D.

Tomkins, J. L., Simmons, L. W. Heritability of size but not symmetry in a sexually selected trait chosen by female earwigs **151**

Triantafyllidis, A., Abatzopoulos, T. J., Economidis, P. S. Genetic differentiation and phylogenetic relationships among Greek *Silurus glanis* and *Silurus aristotelis* (Pisces, Siluridae) populations, assessed by PCR–RFLP analysis of mitochondrial DNA segments **503**

Utelli, A.-B., Roy, B. A., Baltisberger, M. History can be more important than 'pollination syndrome' in determining the genetic structure of plant populations: the case of *Aconitum lycoctonum* (Ranunculacae) **574**

Utter, F. M. *see* Garcia-Marin, J.-L.

van Arendonk, J. A. M. *see* Koudandé, O. D.

Van Dongen, S., Sprengers, E., Löfstedt, C., Matthysen, E. Heritability of tibia fluctuating asymmetry and developmental instability in the winter moth (*Operophtera brumata* L.) (Lepidoptera, Geometridae) **535**

van Meer, M. M. M., Stouthamer, R. Cross-order transfer of *Wolbachia* from *Muscidifurax uniraptor* (Hymenoptera: Pteromalidae) to *Drosophila simulans* (Diptera: Drosophilidae) **163**

Vekemans, X. *see* Mahy, G.

Via, S. Cannibalism facilitates the use of a novel environment in the flour beetle, *Tribolium castaneum* **267**

Wang, J., Caballero, A. Review article—Developments in predicting the effective size of subdivided populations **212**

Waycott, M. *see* James, S. H.

Waycott, W., Fort, S. B., Ryder, E. J., Michelmore, R. W. Mapping morphological genes relative to molecular markers in lettuce (*Lactuca sativa* L.) **245**

Whitlock, M. C., McCauley, D. E. Short Review: Indirect measures of gene flow and migration: $F_{ST} \neq (1/4Nm + 1)$ **117**

Williams, J. L. *see* Blott, S. C.

Windig, J. J. Trade-offs between melanization, development time and adult size in *Inachis io* and *Araschnia levana* (Lepidoptera: Nymphalidae)? **57**

Wyatt, R. *see* Ivey, C. T.

Wyttenbach, A., Narain, Y., Fredga, K. Genetic structuring and gene flow in a hybrid zone between two chromosome races of the common shrew (*Sorex araneus*, Insectivora) revealed by microsatellites **79**

Xu, S. *see* Yi, N.

Xu, Z. C., Zhu, J. An approach for predicting heterosis based on an additive, dominance and additive × additive model with environment interaction **510**

Yano, K. *see* Yonezawa, K.

Yi, N., Xu, S. Mapping quantitative trait loci for complex binary traits in outbred populations **668**

Yin, X., Kropff, M. J., Stam, P. The role of ecophysiological models in QTL analysis: the example of specific leaf area in barley **415**

Yokoyama, T. *see* Suzuki, M. G.

Yonezawa, K., Yano, K., Ishii, T., Nomura, T. A theoretical basis for measuring the efficiency of selection in plant breeding **401**

Zhu, J. *see* Xu, Z. C.

Zwaan, B. J. Short Review: The evolutionary genetics of ageing and longevity **589**

Heredity **82** (1999) 695–698

Keyword index

abdominal visceral fat **134**
Acari **451**
Acyrthosiphon pisum **605**
AFLP **252**
ageing **589**
allele frequencies **488**
allozymes **46, 89, 117, 142, 193, 237, 292, 432, 451, 462, 574, 628, 653, 677**
Alstroemeria **69**
antagonistic pleiotropy **589**
ants **473**
anurans **309**
aphid **605**
aphid chromosomes **180**
Aquilegia canadensis **518**
Asclepias incarnata **25**
assortative mating **36**
Astarte **89**
Asteraceae **261**
autogamous crops **598**
autogamy **518**
autopolyploidy **381, 373**

backcross progeny **69**
balancing selection **126**
Barbus **373**
binary trait **668**
biotype **605**
birds **347**
Bombyx mori **170, 660**
bottlenecks **441, 479**
Bracon hebetor **282**
breed identification **613**
breeding systems **574, 543**
brown trout **46, 645**
Buchnera **605**
Bufo **309**
bulked segregant analysis **245**

Caladenia **561**
Calluna vulgaris **654**
Caryophyllaceae **543**
cattle **613**
Cepaea **336**
Ceriagrion tenellum **328**
chloroplast DNA **422**
chromosomal inversion **276**
chromosome polymorphism **364**
chromosome substitution **555**
clinal variation **628**
clonality **432**
cloning **409**
Coelopa frigida **276**
Coenagrionidae **328**
colonization **229, 267**
colour **57**
colour morphs **328**
common shrew **79**
complementary sex determination **282**
conifers **252**
conservation **212, 229, 653**
control region **495**
courtship **158**
crop growth model **415**
Culex pipiens **7**
cytonuclear incompatibility **36, 163, 620**
cytoplasmic injection **620**

developmental stability **151, 535**
differentiation **318**
diploid males **142, 282**
disjunct populations **292**
dispersal **117, 495**
distribution **229, 381**
DNA content **261, 381**
dosage compensation **170**
Drosophila **158, 163, 555**
D. melanogaster **187**
D. simulans **620**
D. subobscura **100**
dysploidy **364**

ecological genetics **267**
effective population size **212, 479**
electophoretic variation **46**
endemic **292**
epistasis **36, 510, 598**
equilibrium **126**
essential oils **205**
Eucalyptus **205**
European wild rabbit **479**
evolution **261, 267**
evolvability **187**
experimental design **16**

female choice **276**
female heterogamy **170**
female polymorphism **328**

finite population size **126**
Fisher-scoring **668**
fitness **535**
flow cytometry **381**
fluctuating asymmetry **187, 535**
fluorescence *in situ* hybridization (FISH) **69, 180, 409**
founder effect **355**
fragmentation **229**
frequency change **336**
freshwater invertebrate **451**
F_{ST} **117, 451**

Galax urceolata **381**
GE interaction **510**
Geleznowia verrucosa **292**
gene amplification **180**
gene dosage compensation **660**
gene dosage effect **660**
gene flow **79, 117, 205, 300, 309, 391, 432, 422, 451, 479, 495, 628, 654**
gene mapping **245**
genetic correlation across environments **57**
genetic differentiation **89**
genetic diversity **205, 252, 318**
genetic drift **212, 391, 422**
genetic effects **510**
genetic markers **613**
genetic resources **318**
genetic structure **79, 432, 628**
genetic variation **187, 488, 503, 638**
genome relationships **107**
genomic coalescence **364**
genomic *in situ* hybridization **107**
glaciation **654**
growth **134**

heritability **100, 151, 158, 535**
heteroplasmy **555**
heterosis prediction **510**
heterozygosity **212**
homoeologous recombination **69**
Hordeum vulgare **415**
hummingbird pollination **355**
hybrid zone **79, 462**
hybridization **292, 347**
hybrids **36**
Hymenoptera **282**
Hypochaeris **261**

imprinting **347**
inbred lines **16**
inbreeding depression **441, 518, 543**
inbreeding **212, 574**
indirect measures **117**
inheritance **252**
insecticide resistance **180**
insects **267**
intersubspecific hybridization **25**
introgression **645**
islands **229**
isolation by distance **309**
isozymes **391**

karyotypes **261**
kettin **170**
kin selection **473**

Larix **193**
Laxmannia **364**
lethal polymorphism **364**
lethals **441**
lettuce **245**
life history evolution **126**
life history **57, 589**
likelihood-ratio test **373**
linkage disequilibrium **462**
local adaptation **300**

mapping **252**
marine clam **89**
marker-assisted introgression **16**
maternal effect **529**
mathematical models **107**
mating dispersal **676**
mating speed **158**
mating systems **25, 237, 300, 518**
maximum likelihood **488**
Medea factor **529**
Mediterranean **229**
meiosis **1, 107**
meiotic nodules **1**
Melampsora larici-populina **318**
melanin **57**
metapopulation **300**
Microbotryum violaceum **300**
microinjection **163**
microsatellites **79, 142, 373, 479, 645**
migration **117, 212, 336**
milkweed **25**
mitochondrial DNA (mtDNA) **495, 503, 555, 605**
Monte Carlo simulation **668**
morphological traits **187, 245**
mortality **589**
multilocus allozyme analysis **561**
multiple infections **620**
multiple loci **180**
Muscidifurax **163**
mutation **391, 441, 589**

© The Genetical Society of Great Britain.

natural populations **100**
negative disequilibrium **598**
neighbourhood area **355**

Odonata **328**
oil mallees **205**
Oniscus **462**
Operophtera **535**
optimization of selection **401**
Oryctolagus cuniculus **479**
Oryza glumaepatula **638**
O. rufipogon **638**
outcrossing **25, 543**

patchy distribution **628**
Phacelia **422**
philopatry **677**
phylogeny **261, 373, 503**
phylogeography **574**
pig **134**
Pinus sylvestris **252**
plant density **355**
Poisson distribution **16**
polyembryony **441**
polymorphism **645**
polyploidy **237, 381, 660**
pooled samples **488**
population differentiation **229**
population genetics **292, 451, 677**
population growth **16, 495**
population size **309, 518**
population structure **7, 193**
Populus nigra **318**
postglacial colonization **46**

quantitative genetics **57, 267**
quantitative trait loci (QTLs) **134, 415, 668**
quantitative variation **318**

Rana **309**
RAPD **245, 391, 638**
recombination **1, 107**
refugia **495, 574**
reinforcement **347**
relatedness asymmetry **473**
relatedness **677**
repeatability **158, 535**
repeated sequences **261**
reproductive character displacement **347**
reproductive isolation **7**
resource allocation **401**
resource use **267**
restocking **645**
reticulate evolution **373**
RFLP **205**

Salmo salar **409**
S. trutta **46, 645**
seed bank **432**
seed dispersal **355**
selection efficiency **401**
selection **36, 336, 598**
self-compatibility **25**
self-fertilization **126, 364, 441, 518, 543**
selfish gene **529**
sex alleles **282**
sex ratio **282, 473**
sex-limited polymorphism **328**
sex-limited selection **126**
sex-linked gene **170**
sexual selection **151, 276**
sib-groups **677**
S. douglasii **543**
Silene acaulis **628**
S. latifolia **300**
Silurus aristotelis **503**
S. glanis **503**
social Hymenoptera **473**
Solenopsis invicta **142**
song recognition **347**
Sorex araneus **79**
spatial autocorrelation **432, 561**
spatial structure **422**
speciation **89, 347**
species-specific tandem repeats **69**
specific leaf area **415**
stress **187**
subcutaneous fat **134**
subspecies **462**
synapsis **1**
synaptonemal complex **1**
systematics **574**

telomeres **409**
temperature-dependent selection **555**
temporal structure **422**
thelytoky **163**
threshold model **668**
trade-off **57**
Tragopogon **237**
transmission **555**
Tribolium **529**
triploid silkworm **660**
triploidy **142**

Ustilago violaceum **300**

vicariance **229**
visual polymorphism **336**

wide hybrid **69**
wing size **100**

Wolbachia **163, 620**
wsp **620**

Z chromosome **170**

© The Genetical Society of Great Britain, *Heredity*, **82**, 695–698.